

ABG 8

Motor : Briggs&Stratton
 Alternatör : Mecc Alte
 Kontrol Sistemi : P 70



ISO8528

6i 'YbYfUht f [fi Vi 'GC,) & 'm bYha Y] ' UfhUfibi' _Uf ' UntUWU_ 'gYj]nYXY 'UgUfUba i ' hif"

SZUTEST

6i 'YbYfUht f [fi Vi 'GC - \$\$\$gYfh]Z_U" nY" _Yf]bY [" fY 'UgUfUba i ' j Y" fY]a] hf"



6i 'YbYfUht f [fi Vi '79'gYfh]Z_U' UfhUfibiU' i m] i bXmf

2000/14/EC

GYG'mU'ihä ' _UV]b] [fi d'Ufz&\$\$\$#(#97 '5j fi dU [' f' h' m bYha Y]]bY [" fY 'YghYX]]f"

• ; , 'Yfz' !: Uniz) \$<nž; : '\$ž

Voltaj	Standby Güç (ESP)		Prime Güç (PRP)		
	kVA	kW	kVA	kW	Amp
400/230	8.00	6.40	6.00	4.80	8.00

Standby Güç (ESP): ; ' j Yb]]f' YVY_Y' _UmbU 'ibib' _Yg]a Yg]Xi fi a i bXUžXY] _Yb'YY_hf_]m' _Y [, 'Y'a]b'Yha YXY'_j ' "Ubirif" 9GDž-GC,) & 'Y i m' a ' i Xi f' '5 ifi'm' _Ya YnY]n]b] j Yf]a Ya] hf"

Prime Güç (PRP): 8Y] _Yb'YY_hf_]m' _Yz [, 'Y'a]b'Yha YXYžm' " _gibifgin; U' i a U gUUh]]b'_j "Ubirif" DF Dž-GC,) & 'Y i m' a ' i Xi f' 'GC' '\$ (* nU [" fY '%&gUUh, U' i a U dYf]ncXi bXU%gUUh%\$i ' U ifi'm' _Ya Y]b'_j "Ubirif"

• GH5B85F H'x N9@@? @9F

8c U [Uh'ia ctef
 <Uj Ugc' i ha U'ia ctef
 9Y_hf_]a Uf' a ctefi j Y' Uf^U'YfUht f'
 6U 'UhwU_ 'žf]i f i b'Ug]h]E_UV'c'Ufi j Y'gY\ dUgi' A ctef'W_Yhgi m' 'igihWgji
 HY_nU'U_ 'iz] Y< nU'ihä 'gibiZi U'YfUht f'
 9bX' gff]nY' _UdUg]hYXY' gi gh fi W j Y'YgbY_ ; Y'_ca dYbgUht f'
 9Y_hfcb]_U' : Uf^W'Uni' f'ca Uf] [fi d'Uf]]b'k
 ? i 'Uba Uj Y'a cbU' _Uj i ni

• >YbYfUht f' 8cbUbia 'GY, YbY_Yf]

KONTROL PANOSU
 !' Uf^Ua dYfa YfYg]

ABG 8

Motor : Briggs&Stratton
 Alternatör : Mecc Alte
 Kontrol Sistemi : P 70

8c U[Unİ'A chcf'x nY`]_Yf]

Üretici	Briggs&Stratton	
Model	Vanguard	
G]]bXfj] Y HUgUfia	2 Silindirli V Tip	
Hava Emme	8c U`9a]]	
Maksimum Standby Güç	1500 d/dk	8.0kW[HP]
Toplam Silindir Hacmi	L	0.4800
Çap ve Stroke	Çap ve Stroke	68X66
Gi_İ hİfa U'C fUbi	9:1	
Norminal Devir	d/dk	3000
Governör Tipi	Mekanik	
MU_İhH`_Yhİa]	m³ / sa	3,3
8c U[Un'6Ugİb,	mbar	17-20
MU`?UdUg]H'g]	L	2
Emilen Hava Debisi	m³ /dk.	1
Egzoz Gaz Debisi	m³ /dk.	2
9[ncn'; Un'GiWU_İ İ	° C	500
uYj fYmY MUİİUb`eji	kW	4
Elektrik Sistemi	12	

Alternatör Özellikleri

Üretici	Mecc Alte	
Modeli	T/6F-160/A	
Güç	kW	8
HUgUfia	: İf, Uginž&_j h d'i	
Cos fi	1	
: Un'GUİİgi	3	
Voltaj	V	400/230
5_İa	A	10
eji`M`gY'a Yg]	H	1
MUİİİa`GİbİZ	H	


6cmİ hj Y'5 İfİ_

5, İ_); fi d	? i fi '5 İfİ_	Boy	En	Yükseklik
	kg.	mm.	mm.	mm.
	110	880	620	690
Kabinli Grup	? i fi '5 İfİ_	Boy	En	Yükseklik
	kg.	mm.	mm.	mm.
	205	1450	680	780

ABG 8

Motor : Briggs&Stratton
Alternatör : Mecc Alte
Kontrol Sistemi : P 70

● P 70 - Kontrol Sistemi



- 1 5 finU'U'Ufa '@98 fYf]
- 2 uÜi' a U' Y_]gY, a Y'Vi hcb'Üfi
- 3 Durum Led'leri

● Cihazlar

8G9ža cXY'+'\$('ctca UH_ ' YVY_Y UfinU'jnYa Yj Y'YbYfUht f'_cbfrc`'a cX`''
J c'ha YhfYZ\$!) \$J UvZ'+&l '+&a a
5a dYfa YhfYZ'+&l '+&a a
uÜi' a UnUa Ub'gUUhj
9'Y_hfcb'_5_' ' Uf^V\Uniž) 5ž&&\$#&(\$ j c'h
5W' ghcd'Vi hcbi' j Y'V'bfrc`XYj fY'Yf],]b'g][cftU'Uf
YVY_Yj Y'>YbYfUht f'hUbgZf'_cbHU_h fYf]žUfU'UfribXU'Y'Y_hf]_gY''_]hYa Yj Y'm_'hYfa]bU'Yf]

● MÜdij Y'6cmtü

7\Un'Uf, Y]'_gUvXUb'ja U'YX]a] 'dUbc'_UV]b]bY'a cbU'müdi'if" DUbc'gUW'Zc'gZUh_]a mUgU'i]Y'_Ud'UbfU'_gUWm' nYn]
_cfcncnbU'X]fYb,]'U'Y [YHf]f" Dc'mYghYfV]Y]_hcn Vcmtü] Y'Zfrib'Ua U] 'Ya]]Y'dUbc'_UV]b]bY'gcb'XYfYV'XU'ntübi'_i
Vcmtü'müdi'if"?]h]j Y'a YbHY' Y]'dUbc'_UdU' i]Y'V\Un'UfU'i' U' a U'_c'UnXif"

● Montaj

?cbfrc`dUbcgi ž YbYfUht f[fi Vi XUb'Unfi] Y'Xi j UfU'a cbU'müdi'UWU'_hdXYX]f" ?cbfrc`_UV'c'Ufi'YbYfUht f]Y'_cbfrc`
dUbcgi 'UfUgibXU'VU' 'Ubi'Ufi'müdi'a i' hif"

● Jeneratör Kontrol Ünitesi

,]_j 5]Y'%+_]_j 5] [, 'UfU'i' ibXU'Xc' U' [Un'müdi'ih'i'YbYfUht f[fi d'UfribXU'8G9'+'\$('_cbfrc`'' b]hYg]'ghUbxUfhc'UfU_
_j''Übi'if
; Un'a c'rcfi' 'YbYfUht f[fi d'Ufribib'ctca UH_'c'UfU_], U'i' h'fi'a Ugi] Y'Xi fXi fi 'a Ugi]bi' [Yf, Y'_Y' hf]f" ' YVY_Y'YbYf]g]
Yg]X]]bXY'j Yntü] c'U'gY]]nYg]U' ifi'X' h' bXY'+\$('A cX' ž'YbYfUht f'ctca UH'c'UfU_], U'i' h'fi]j Y'm'_
YbYfUht fY' hUbgZf'YXYf" ' YVY_Y'j c'U'f'bcfa U'Y'X' bX' bXY'g]ghY'a' m'_ ' YVY_Y'mYhUbgZf'YX]f"'+\$('_cbfrc`
a cX' '' b'dUbY']bXY', U'i' a U] Y'UfinU'Xi fi a i' @98' [" ghYf[Y'Yf]]Y [" ghYf]f"

"A]_fc!] 'Ya W]Y'_cbfrc`
@98' [" ghYf[Y'Yf
' YVY_Y'j Y'YbYfUht f [, 'Yf]UfUgibXU' hUbgZf'_cbfrc`''
>YbYfUht f'a U\U']bXY'ža cX' '' b'dUbY]' nYf]bXYb'dfc[fUa i'XY] hfYV]a Y
6i hcb'Ufrib'mYfY]a]j Y] 'Yha Y'g]ghY'a]_c'Um
I nU'_hUbgZfUfh
?cbfrc`h' 'Ufi: 'Ghcd'# YgYhZA Ubi Y'Z'ctca UH_ž

ABG 8

Motor : Briggs&Stratton
 Alternatör : Mecc Alte
 Kontrol Sistemi : P 70

AKS 17 - Kabin



Yf b<U_ibXU

5_gU^YbYfUf f [fi d'Ufi],]b_U_i gh_ia ^\YbX]gYf]fUfUZbXUbžncf\Uj Uj Y, Yj fY' UfhUfibU'i n]i b [Y] Hf]Yb'gYg'mU'iha iz _cfi a U_UV]b'Yf]/XYU'gYg'gY]]nYg]j Y'_cfi a U'gU 'UmUWU' Y_]XY'fUgUf'Ubif'Uf", _J 5'!&+) _J 5' [^, 'UfU'i ibXU^YbYfUf f [fi d'Ufi],]b'a cX^ YfžgYg'mU'iha _UV]b'Yf]žU, i_ [fi d' nYf]bY Xc' fi XUb []nX]fa Y'mUdi'UV]a Y_fYX]f" ? UV]b'Yfž [fi VU'_c:Um gYf]]g] Y_VU_ia 'mUdUV]a Y]j Y, U'i hi 'i nYfXY'dUf, U'XY]]a]bY'c'UbU'gU 'Uf''5mb'i'nUa UbXU^YbYfUf f [fi Vi bi b', Yj fY giWU'_i ibU' [" fY gc' i ha U'dYfž'fa Ubgi'j Y [^, ; i_] XY Yf]bXY^Yf\Ub []gY]]nY'X' ^ _ _]a YmXUbU' [Y]fa YmYW'_mUdiXU c'a Ug]bU'X]_UhYX]YfY'_UV]b'YfX]nUmb'YX]a] X]f" ? UV]b'Yf]b', Yj fY'giWU'_i]j Y'gYg'gY]]nYg]i n]i b'i i],]b'dfchU]d fYghYf]mUdi'Xi_Ub'gcbfU' fY]a]mUdi'a i hi"

Standart Özellikler

i8' ^ _dfcZ']j Y'_Ud'Ua U'U'Ubi'Unž_ca dU_hfUgUfia
 i? UV]bž^YbYfUf f'gYHžY [ncn'g]g]fa]j Y'XYdc! UgY'fY'_dU_Yhc'UfU'_gY] _YX]YWU'_ Y_]XYžV]fV]f]b]V' hi b'YmYW'_j Y'_c:Um a cbU'^,]b' [Y] Hf]a] Hf"
 iHYa]n'Ya Y] 'Ya]bXYb [Y,]f]Yb', Y_L [" j XYb]b'dUf, U'Ufiz'dc'nYg]f'f'cn'VcmUmu'_Ud'Ubif]j Y'žfib'Ubif
 i5'Yj " b'Ym]V]mU'iha 'g' b [Yf]
 iGYf]]g'bc'_fU'fUfU'_c'UmYf]]a
 i? UV]b], Yf]g]bXY'Y [ncn'g]g]fa]j Y'igi'mU'iha i
 i_]fUfUZU' [Yb] '_Udi'Uf
 i?]]h] _Udi' nYf]bXY' YZUZdYbW'fYXYb'_cbf'c'd'Ub'cg] bi]n'YmYV]a Y
 i? UV]b]b'Xi' ibU'a cbU'^'UW'ghcd'Vi h'cbi
 iGc' i ha U'Zubi'j Y' Uf^U'fYfbUf f' Xc'_i ba UmU'_Uf i'_cfi ba i hi f
 i?]]h'YbYb'_Udi']Y'mU_ihXc'i a i j Y'U'_ nY'Yf]]a
 i UgY'j Y'_UV]b' nYf]bXY'_U'Xifa U'bc'_fU'fUf'j Y' Ug]XY'ž'f_]žh'Wd'Yf]ž'5GA +\Uf],
 iGYg'mU'iha _UV]b] [fi d'Ufib'gYg'fYg]]&\$\$\$#& (#7 nY'i n]i b'c'UfU'_Gni fYghfUfUZbXUb'XYbYhYba Y_fYX]f"

Kabin Seri Modeli		AKS 17
En	mm.	680
Boy	mm.	1450
Yükseklik	mm.	780